THE TOHOKU JOURNAL OF EXPERIMENTAL MEDICINE

Volume 161

May — August 1990

EDITORIAL BOARD

N. TAIRA (Sendai)
Editor-in-Chief

S. FUJIMURA (Sendai)
K. HARUMI (Tokyo)
N. HAYASHI (Sendai)
M. HOMMA (Kobe)
M. IMAI (Tokyo)
Y. IWASAKI (Sendai)
T. KISHIMOTO (Osaka)
K. KOGURE (Sendai)
K. NARISAWA (Sendai)
T. OGIHARA (Osaka)
H. SATOH (Sendai)
T. TABIRA (Tokyo)
T. TACHIBANA (Sendai)
H. TAGAMI (Sendai)
F. TAKAKU (Tokyo)
T. TAKISHIMA (Sendai)
T. TOYOTA (Sendai)
J. UCHINO (Sapporo)
Y. WADA (Nagoya)
H. WAKASA (Fukushima)
H. WATANABE (Kyoto)

PUBLISHED BY

TOHOKU UNIVERSITY MEDICAL PRESS

SENDAI, JAPAN

CONTENTS

Vol. 161, No. 1, May 1990

Effect of ampicillin, cefmetazole and minocycline on the adherence of *Branhamella catarrhalis* to pharyngeal epithelial cells. *K. Ahmed, K. Matsumoto, N. Rikitomi, T. Nagatake, T. Yoshida and K. Watanabe* 1

Individual identification of human bloodstains investigated with hypervariable DNA loci. *T. Yokoi, T. Kimura and K. Sagisaka* 9

A case of turner syndrome with the karyotype of 45,X/46,X,i(Xq) associated with acute monocytic leukemia. *K. Otokida, K. Ohira, M. Ishikawa, N. Arakawa, A. Yoshida, A. Kamimura, E. Kou and M. Kato* 19

Sweat protein components tested by SDS-polyacrylamide gel electrophoresis followed by immunoblotting. *N. Nakayashiki* 25

The changes in the levels of dihydrofolate reductase mRNA and its gene dosage in 5-fluorouracil-resistant L1210 cells. *Y. Konishi, R. Kanamaru, C. Ishioka, A. Ishikawa, H. Shibata, A. Wakui and T. Dei* 33

The protein synthesis of human full term placenta cell in monolayer culture system. *H. Kono, Y.C. Lin, M. Yamaguchi, A. Sanbuissho, F.P. Zuspan, N. Furuhashi and A. Yajima* 43

Vasoactive intestinal polypeptide response to ethanol in dogs. *T. Misawa, J. Aramaki, Y. Chijiiwa, T. Kabemura, T. Nasu and H. Nawata* 49

Cosinor analysis of changes in circadian blood pressure rhythm with aging in spontaneously hypertensive rats. *M. Munakata, Y. Imai, N. Minami, S. Sasaki, T. Ichijyo, M. Yoshizawa, H. Sekino, K. Abe and K. Yoshinaga* 55

Short Reports

Acute megakaryoblastic leukemia in Down syndrome, following thrombocytopenia with antiplatelet antibody. *S. Sumi, M. Obayashi, M. Murakami, J. Ito, N. Okada and Y. Shibata* 65

HLA antigens in cancer of the gallbladder. *M. Yamamoto, M. Haga, S. Takagi, K. Endoh, S. Ito, K. Yoshida, K. Kato and S. Akai* 69

Vol. 161, No. 2, June 1990

Pulmonary vascular response to acetylcholine in isolated rat lungs treated with intratracheal bleomycin. *S. Sato, S. Kato, H. Takahashi, K. Takahashi and S. Yasui* 73

Ubenimex treatment in congenital cyclic neutropenia. *M. Aihara, Y. Sasaki and Y. Yoshida* 85

Repetitive sequences in the rat genome that have cleavage sites for the restriction endonuclease *Taq I*. *H. Kikuchi, T. Sekiya, S. Nishimura and M. Watanabe* 91

Dose dependency of intratracheal elastase-induced changes in pressure volume curve and morphometry in rat lungs. *S. Sato, S. Kato, H. Takahashi, Y. Arisaka and K. Takahashi* 101

Intraoral minor salivary gland tumors: A demographic and histologic study of 200 cases. *H. Takahashi, S. Fujita, N. Tsuda, F. Tezuka and H. Okabe* 111

Bimodality in the nocturnal behavior of the giant land snail, *Achatina fulica*. *T. Ogasawara and K. Tasaki* 129

The determination of plasma intrinsic coagulant activity. *K.A. Hussein and B. Al-Ibrahim* 137

Short Reports

Medroxyprogesterone acetate for lung cancer. *S. Okuyama, H. Mishina and T. Nunokawa* 153

Reinforcing radiotherapy of gallbladder cancer with aclarubicin and neocarzinostatin. *S. Okuyama, H. Mishina, K. Funaki and T. Mori* 155

Production of tumor necrosis factor α and interleukin 1β by peripheral blood mononuclear cells from chronic hepatitis type C patients during interferon therapy. *Y. Ueno, H. Suzuki, K. Kobayashi, M. Miura and T. Toyota* 157

Vol. 161, No. 3, July 1990

Decreased levels of IL-1α and β in psoriatic lesional skin. *H. Takematsu, Y. Ohmoto and H. Tagami* 159

Detection of three sialylated tumor-associated antigens in malignant serous effusions. *J. Kadota* 171

Myocardial preservation: A comparison of oxygenated crystalloid and blood cardioplegia. *K. Tabayashi, P.P. McKeown, M. Miyamoto, A.E. Luedtke, R. Thomas, D.G. Breazeale, G.A. Misbach, M. Allen and T.D. Ivey* 185

Binding, internalization and the cytotoxicity of monoclonal antibody A7-neocarzinostatin conjugates (A7-NCS) in target cells. *K. Kitamura, T. Takahashi, A. Noguchi, K. Takashina, H. Tsurumi and T. Yamaguchi* 199

Quantitation of IgG subclass antibodies to pneumococcal capsular polysaccharides by ELISA, using pneumovax®-specific antibodies as a reference. *K. Kojima, A. Ishizaka, E. Oshika, Y. Taguchi, K. Tomizawa, M. Nakanishi, Y. Sakiyama and S. Matsumoto* 209

The inhibitory factors of hematopoiesis in chronic hemodialysis patients treated with recombinant human erythropoietin. *Y. Fukushima, Y. Nakamoto, A.B. Miura, S. Miyagata and S. Tsuchida* 217

Thiol depletion and chemosensitization on nimustine hydrochloride by methionine-depleting total parenteral nutrition. *N. Goseki and M. Endo* 227

Beneficial effects of low-flow perfusion resumed early after zero-flow ischemia on myocardial energy metabolism and mechanical function: ^{31}P-NMR study in the isolated perfused rat heart. *T. Matsubara* 241

Short Reports

Increase in hematocrit by nifedipine in hypertensive patients. *Y. Takayama, S. Ichikawa, T. Sakamaki and K. Murata* 251

Production of monoclonal antibodies against recombinant HBcAg. *Y. Ueno, K. Kobayashi, H. Suzuki, T. Yamamoto and T. Toyota* 253

Selenium contents in human gallbladder bile. *W. Chen, H. Nakadaira, M. Tsunoda, H. Mano, S. Takagi, M. Yamamoto, H. Kinebuchi, K. Kato and S. Akai* 257

Vol. 161, No. 4, August 1990

Anti-idiotypic antibodies directed against anti-HBs among the patients with chronic hepatitis B. *K. Kobayashi, H. Suzuki, Y. Ueno, R. Nagatomi, A. Kanno, M. Otsuki and T. Toyota* 261

Liposome-encapsulated amphotericin B in the treatment of experimental murine candidiasis. *T. Miyazaki, S. Kohno, M. Kaku, H. Koga and K. Yamaguchi* 273

Changes in the intercellular junction of rat exocrine pancreatic cells induced by long term ethanol ingestion. *K. Nakamura, T. Sato and G. Kakizaki* 283

Effect of thymic hormones on induction of experimental allergic encephalomyelitis in old mice. *M. Endoh and T. Tabira* 303

Uncontrolled hypertension is associated with a rapid progression of nephropathy in type 2 diabetic patients with proteinuria and preserved renal function. *T. Baba, S. Murabayashi, T. Tomiyama and K. Takebe* 311

Long-term results after repair of tetralogy of Fallot. *K. Haneda, T. Togo, K. Tabayashi, Y. Tsuru and H. Mohri* 319

Effects of hand and spatial conditions on visual line bisection. *R. Fukatsu, T. Fujii, I. Kimura, S. Saso and K. Kogure* 329

Thin-layer chromatography of urinary neutral oligosaccharides: the detection of blood group-related oligosaccharides and screening for lysosomal storage disease. *M. Kuriyama, R. Hiwatari and A. Igata* 335

Leucocyte α-1, 4- and α-1, 6-glucosidase activities towards oligosaccharides in late onset glycogenosis type II *M. Kuriyama, R. Hiwatari, M. Osame and A. Igata* 343